

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
Group Art Unit 2838

In re

Patent Application of

Todd W. Johnson et al.

Application No. 10/720,027

Confirmation No.: 3207

Filed: November 20, 003

Examiner: Edward H. Tso

U.S. Patent No. 7,157,882

Issued: January 2, 2007

"METHOD AND SYSTEM FOR BATTERY  
PROTECTION EMPLOYING A  
SELECTIVELY-ACTUATED SWITCH"

**REQUEST FOR CERTIFICATE OF CORRECTION**


Commissioner for Patents  
ATTN: CERTIFICATE OF CORRECTION BRANCH  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction be issued with respect to Patent No. 7,157,882, granted January 2, 2007, in accordance with the Certificate of Correction form attached hereto.

Please charge the \$100 fee under 37 C.F.R. § 1.20(a), and any other fees required for this communication, to Deposit Account No. 13-3080.

Respectfully submitted,

  
Carlo M. Cotrone  
Reg. No. 48,715

File No. 066042-9536-01  
Michael Best & Friedrich LLP  
100 East Wisconsin Avenue  
Milwaukee, Wisconsin 53202-4108  
414.271.6560

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 7,157,882

ISSUE DATE: January 2, 2007

INVENTOR(S): Todd W. Johnson, Dennis J. Grzybowski, Mark A. Kubalc, Jay J. Rosenbecker, Karl F. Scheucher, Gary D. Meyer, Jeffrey M. Zeiler, and Kevin L. Glasgow

It is certified that errors appear in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Please insert the following information under Prior Publication Data on the face of the patent:

US2005/0007068 A1 January 13, 2005

Column 5, line 21, delete "the" after "In".

Column 6, line 49, insert --110, 115 and 120-- after "terminals"; line 62, "print" should read --printed--.

Column 7, line 21, "illustrate" should read --illustrated--.

Column 8, line 38, "fall" should read --falls--.

Column 9, line 39, "providing" should read --provide--.

Column 10, line 39, "from" should read --for--.

Column 11, line 14, "11c" should read --11E--; line 65, "FIGS. 7-9" should read --FIGS. 8 and 9--.

Column 12, line 39, "4 and 5" should read --9 and 10--; lines 44 and 50, "FIG. 5" should read --FIG. 10-- in both instances.

Column 13, lines 58 and 61, "that" should read --the-- in both instances.

Column 14, line 4, "20" should read --50--; line 61, "my" should read --may--.

Column 15, lines 28 and 30, "20" should read --50-- in both instances; line 29, "disable" should read --disabling--.

Column 17, lines 8 and 11, "20-22" should read --17-19-- in both instances; line 22, "20" should read --17--; line 62, "21 and 22" should read --18 and 19--.

Column 18, line 8, "21 and 22" should read --18 and 19--; lines 9 and 18, "FIG. 21" should read --FIG. 19-- in both instances; line 23, "FIG. 22" should read --FIG. 18--; lines 44 and 46, "345" should read --340-- in both instances; line 52, insert --400-- after "housing"; line 53, "connecting" should read --connection--.

Column 19, line 32, "pack" should read --battery--.

Column 20, line 11, "sown" should read --shown--; line 16, "115a" should read --155a--; line 22, "160" should read --160a--; line 27, "include" should read --includes--; line 31, "105" should read --110--; line 32, "110" should read --115--.

Column 22, line 26, delete "a" after "are"; line 62, "cells" should read --cell--.

Column 23, line 4, delete "included" after "longer"; line 8, "construction" should read --constructions--.

Column 25, line 2, insert --other-- after "chemistry" and insert --those-- after "than".

Column 30, line 48, "1034" should read --1074--.

Column 32, line 17, "constructions" should read --construction--; line 48, "35, 37-39" should read --35 and 37-39--.

Column 34, line 15, insert --and-- after "1262,".

MAILING ADDRESS OF SENDER:

Michael Best & Friedrich LLP  
100 East Wisconsin Avenue  
Milwaukee, WI 53202

PATENT NO. 7,157,882

No. of additional copies  
0

—————→